



Certificate of Analysis

Hash Mountain Labs

420 American Way
Kalispell, MT 59901
david@bmmgmontan.com
Lic. #M-100133-002

Sample: 2606FID4384.20128

Strain: Ztawberry
Batch #: c; Lot #:
METRC Batch: 1A40801000010CD000028649; METRC Sample: 1A40801000010CD000028652
Analysis Initiated: 07/02/2026; Report Created: 07/09/2026
Sampling SOP: SOP-0050

Ztawberry - Live Rosin Bar (.5g) - 8649

Concentrates & Extracts, Live Rosin, Ice/Water
Harvest/Production Date: 06/30/2026



	72.43% Total Potential Psychoactive THC	0.12% Total CBD	Pass Foreign Matter
	72.48% Total Raw THC	78.03% Total Cannabinoids	Complete NR Moisture


Cannabinoids

Pass

Analytical Calibration Batch:

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	0.41	4.1
Δ9-THC	0.09	72.07	720.7
Δ8-THC	0.09	ND	ND
THCVa	0.09	ND	ND
THCV	0.09	0.99	9.9
CBDa	0.09	ND	ND
CBD	0.09	0.12	1.2
CBN	0.09	0.15	1.5
CBGa	0.09	0.46	4.6
CBG	0.09	2.78	27.8
CBC	0.09	1.06	10.6
Total		78.03	780.3

CBC CBD CBG CBGa
CBN Δ9-THC THCa THCV



Total Potential Psychoactive THC = THCa * 0.877 + d9-THC | Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected.

SOP-0041: Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035: Foreign matter inspection includes but is not limited to hair, insects, stems, seeds, and feces. SOP-0036: Moisture analysis. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
http://www.fidimt.com
License # L-100170-003



Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Andre Umansky
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





FIDELITY
DIAGNOSTICS

Certificate of Analysis

Powered by Confident LIMS
2 of 4

Hash Mountain Labs

420 American Way
Kalispell, MT 59901
david@bmmgmontan.com

Lic. #M-100133-002

Sample: 2606FID4384.20128

Strain: Ztawberry
Batch #: c; Lot #:

METRC Batch: 1A40801000010CD000028649; METRC Sample: 1A40801000010CD000028652

Analysis Initiated: 07/02/2026; Report Created: 07/09/2026

Sampling SOP: SOP-0050

Ztawberry - Live Rosin Bar (.5g) - 8649


Concentrates & Extracts, Live Rosin, Ice/Water
Harvest/Production Date: 06/30/2026



Terpenes

Analytical Calibration Batch: Terpenes 06102026

Analyte	LOQ	Result	Result
	%	%	mg/g
Limonene	0.008	1.759	17.59
β-Myrcene	0.008	1.628	16.28
β-Caryophyllene	0.008	0.951	9.51
Nerolidol		0.439	4.39
α-Bisabolol	0.008	0.361	3.61
α-Humulene	0.008	0.352	3.52
α-Pinene	0.008	0.337	3.37
Linalool	0.008	0.333	3.33
Guaiol	0.008	0.273	2.73
β-Pinene	0.008	0.192	1.92
Geranyl Acetate	0.003	0.160	1.60
Fenchol	0.003	0.139	1.39
α-Terpineol	0.005	0.132	1.32
Caryophyllene Oxide	0.008	0.068	0.68
Ocimene	0.008	0.065	0.65
Camphene	0.008	0.060	0.60
Borneol	0.003	0.046	0.46
Terpinolene	0.008	0.024	0.24
α-Phellandrene	0.003	ND	ND
α-Terpinene	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
Eucalyptol	0.008	ND	ND
γ-Terpinene	0.008	ND	ND
Geraniol	0.008	ND	ND
Isopulegol	0.008	ND	ND
p-Cymene	0.008	ND	ND
Total		7.320	73.20



Primary Aromas



Orange



Hops



Cinnamon



Apple



Chamomile

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. Results based on dry weight. SOP-0037; GC-FID Analysis of Terpenes in Cannabis and Cannabis Products. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
http://www.fidimt.com
License # L-100170-003



Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Andre Umansky
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Certificate of Analysis

Hash Mountain Labs

420 American Way
Kalispell, MT 59901
david@bmmgmontan.com

Lic. #M-100133-002

Sample: 2606FID4384.20128

Strain: Ztawberry
Batch #: c; Lot #:

METRC Batch: 1A40801000010CD000028649; METRC Sample: 1A40801000010CD000028652

Analysis Initiated: 07/02/2026; Report Created: 07/09/2026

Sampling SOP: SOP-0050

Ztawberry - Live Rosin Bar (.5g) - 8649

Concentrates & Extracts, Live Rosin, Ice/Water
Harvest/Production Date: 06/30/2026



Residual Solvents

Analytical Calibration Batch:

Not Tested

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
---------	-----	--------------	------	--------	---------	-----	--------------	------	--------

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0060; A mass spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins

Pass

Analytical Calibration Batch: 06/29/2026

Analyte	LOQ	State Limit	Mass	Status
	PPB	PPB	PPB	
Ochratoxin A	12	20	ND	Pass
Total Aflatoxins	20	20	ND	Pass

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPB = Parts per Billion. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Mold	10000	NR	NT
Aspergillus flavus	Not Detected in 1.0g	ND	Pass
Aspergillus fumigatus	Not Detected in 1.0g	ND	Pass
Aspergillus niger	Not Detected in 1.0g	ND	Pass
Aspergillus terreus	Not Detected in 1.0g	ND	Pass
Salmonella	Not Detected in 1.0g	ND	Pass
STEC	Not Detected in 1.0g	ND	Pass

NT = Not Tested; NR = Not Reported; ND = None Detected. TNTC = Too Numerous to Count; SOP-0058: STEC and Salmonella analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003



Andre Umansky
Laboratory Director

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Hash Mountain Labs

420 American Way
Kalispell, MT 59901
david@bmmgmontan.com

Lic. #M-100133-002

Sample: 2606FID4384.20128

Strain: Ztawberry
Batch #: c; Lot #:

METRC Batch: 1A40801000010CD000028649; METRC Sample: 1A40801000010CD000028652

Analysis Initiated: 07/02/2026; Report Created: 07/09/2026

Sampling SOP: SOP-0050

Ztawberry - Live Rosin Bar (.5g) - 8649

Concentrates & Extracts, Live Rosin, Ice/Water
Harvest/Production Date: 06/30/2026

Pesticides

Analytical Calibration Batch: 06/29/2026

Pass

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status	Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.16	0.5	0.5	ND	Pass	Imazalil	0.16	0.2	0.2	ND	Pass
Acephate	0.16	0.4	0.4	ND	Pass	Imidacloprid	0.16	0.4	2	ND	Pass
Acequinocyl	0.16	2	2	ND	Pass	Kresoxim Methyl	0.16	0.4	0.4	ND	Pass
Acetamiprid	0.16	0.2	0.2	ND	Pass	Malathion	0.16	0.2	0.2	ND	Pass
Aldicarb	0.31	0.4	0.4	ND	Pass	Metalaxyl	0.16	0.2	0.2	ND	Pass
Azoxystrobin	0.16	0.2	0.2	ND	Pass	Methiocarb	0.16	0.2	0.2	ND	Pass
Bifenazate	0.16	0.2	0.2	ND	Pass	Methomyl	0.16	0.4	0.4	ND	Pass
Bifenthrin	0.16	0.2	0.2	ND	Pass	Methyl Parathion	0.16	0.2	0.2	ND	Pass
Boscalid	0.16	0.4	0.4	ND	Pass	MGK-264	0.16	0.2	0.2	ND	Pass
Carbaryl	0.16	0.2	0.2	ND	Pass	Myclobutanil	0.16	0.2	0.2	ND	Pass
Carbofuran	0.16	0.2	0.2	ND	Pass	Naled	0.16	0.5	0.5	ND	Pass
Chlorantraniliprole	0.16	0.2	0.2	ND	Pass	Oxamyl	0.16	1	1	ND	Pass
Chlorfenapyr	0.31	1	1	ND	Pass	Paclobutrazol	0.16	0.4	0.4	ND	Pass
Chlorpyrifos	0.16	0.2	0.2	ND	Pass	Permethrin	0.16	0.2	0.2	ND	Pass
Clofentezine	0.16	0.2	0.2	ND	Pass	Phosmet	0.16	0.2	0.2	ND	Pass
Cyfluthrin	0.31	1	1	ND	Pass	Piperonyl Butoxide	0.16	2	2	ND	Pass
Cypermethrin	0.16	1	1	ND	Pass	Prallethrin	0.16	0.2	0.2	ND	Pass
Daminozide	0.16	1	1	ND	Pass	Propiconazole	0.16	0.4	0.4	ND	Pass
Diazinon	0.16	0.2	0.2	ND	Pass	Propoxur	0.16	0.2	0.2	ND	Pass
Dichlorvos	0.16	1	1	ND	Pass	Pyrethrins	0.16	1	1	ND	Pass
Dimethoate	0.16	0.2	0.2	ND	Pass	Pyridaben	0.16	0.2	0.2	ND	Pass
Ethoprophos	0.16	0.2	0.2	ND	Pass	Spinosad	0.16	0.2	0.2	ND	Pass
Etofenprox	0.16	0.4	0.4	ND	Pass	Spiromesifen	0.16	0.2	0.2	ND	Pass
Etoazole	0.16	0.2	0.2	ND	Pass	Spirotetramat	0.16	0.2	0.2	ND	Pass
Fenoxycarb	0.16	0.2	0.2	ND	Pass	Spiroxamine	0.16	0.4	0.4	ND	Pass
Fenpyroximate	0.16	0.4	0.4	ND	Pass	Tebuconazole	0.16	0.4	0.4	ND	Pass
Fipronil	0.16	0.4	0.4	ND	Pass	Thiacloprid	0.16	0.2	0.2	ND	Pass
Flonicamid	0.16	1	1	ND	Pass	Thiamethoxam	0.16	0.2	0.2	ND	Pass
Fludioxonil	0.16	0.4	0.4	ND	Pass	Trifloxystrobin	0.16	0.2	0.2	ND	Pass
Hexythiazox	0.16	1	1	ND	Pass						

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0042; Pesticide & Mycotoxin screening is performed using ESI/APCI MS. Relative Expanded Uncertainty Average for the above compounds $u = \pm 15.2\%$. For specific compound u values, contact the laboratory.

Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003Accredited to ISO/IEC 17025:2017
Accreditation #: 102722Andre Umansky
Laboratory DirectorConfident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001