



FIDELITY
DIAGNOSTICS

Certificate of Analysis

Powered by Confident LIMS
1 of 4

Hash Mountain Labs

420 American Way
Kalispell, MT 59901
david@bmmgmontan.com

Lic. #M-100133-002

Sample: 2607FID5033.22899

Strain: Cheese Crème

Batch #: a; Lot #:

METRC Batch: 1A40801000010CD000029727; METRC Sample: 1A40801000010CD000029731

Analysis Initiated: 07/29/2026; Report Created: 08/07/2026

Sampling SOP: SOP-0050

Cheese Crème - Live Rosin Bar (.5g) - 9727

Concentrates & Extracts, Live Rosin, Ice/Water
Harvest/Production Date: 07/28/2026



71.18%
Total Potential
Psychoactive THC

0.27%
Total CBD

Pass
Foreign Matter

71.18%
Total Raw THC

76.81%
Total Cannabinoids

Complete
NR
Moisture


Cannabinoids

Pass

Analytical Calibration Batch:

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	ND	ND
Δ9-THC	0.09	71.18	711.8
Δ8-THC	0.09	ND	ND
THCVa	0.09	ND	ND
THCV	0.09	0.59	5.9
CBDa	0.09	0.09	0.9
CBD	0.09	0.19	1.9
CBN	0.09	0.29	2.9
CBGa	0.09	0.37	3.7
CBG	0.09	2.87	28.7
CBC	0.09	1.23	12.3
Total		76.81	768.1

CBC CBD CBDa CBG
CBGa CBN Δ9-THC THCV



Total Potential Psychoactive THC = THCa * 0.877 + Δ9-THC | Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected.

SOP-0041: Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035: Foreign matter inspection includes but is not limited to hair, insects, stems, seeds, and feces. SOP-0036: Moisture analysis. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003



Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Andre Umansky
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



FIDELITY
DIAGNOSTICS

Certificate of Analysis

Powered by Confident LIMS
2 of 4

Hash Mountain Labs

420 American Way
Kalispell, MT 59901
david@bmmgmontan.com

Lic. #M-100133-002

Sample: 2607FID5033.22899

Strain: Cheese Crème

Batch #: a; Lot #:

METRC Batch: 1A40801000010CD000029727; METRC Sample: 1A40801000010CD000029731

Analysis Initiated: 07/29/2026; Report Created: 08/07/2026

Sampling SOP: SOP-0050

Cheese Crème - Live Rosin Bar (.5g) - 9727


Concentrates & Extracts, Live Rosin, Ice/Water
Harvest/Production Date: 07/28/2026



Terpenes

Analytical Calibration Batch: Terpenes 07142026

Analyte	LOQ	Result	Result
	%	%	mg/g
β-Myrcene	0.008	1.714	17.14
Limonene	0.008	1.231	12.31
β-Caryophyllene	0.008	1.174	11.74
α-Humulene	0.008	0.411	4.11
α-Bisabolol	0.008	0.364	3.64
Nerolidol		0.323	3.23
Linalool	0.008	0.316	3.16
α-Pinene	0.008	0.288	2.88
Geranyl Acetate	0.003	0.245	2.45
β-Pinene	0.008	0.210	2.10
Guaiol	0.008	0.203	2.03
α-Terpineol	0.005	0.115	1.15
Fenchol	0.003	0.111	1.11
Caryophyllene Oxide	0.008	0.095	0.95
Ocimene	0.008	0.049	0.49
Camphene	0.008	0.043	0.43
Borneol	0.003	0.037	0.37
Terpinolene	0.008	0.027	0.27
Eucalyptol	0.008	0.024	0.24
α-Phellandrene	0.003	0.011	0.11
α-Terpinene	0.008	ND	ND
δ-3-Carene	0.008	ND	ND
γ-Terpinene	0.008	ND	ND
Geraniol	0.008	ND	ND
Isopulegol	0.008	ND	ND
p-Cymene	0.008	ND	ND
Total		6.992	69.92



Primary Aromas



Hops



Orange



Cinnamon



Chamomile



Apple

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. Results based on dry weight. SOP-0037; GC-FID Analysis of Terpenes in Cannabis and Cannabis Products. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
http://www.fidimt.com
License # L-100170-003



Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Andre Umansky
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



Certificate of Analysis

Hash Mountain Labs

420 American Way
Kalispell, MT 59901
david@bmmgmontan.com

Lic. #M-100133-002

Sample: 2607FID5033.22899

Strain: Cheese Crème

Batch #: a; Lot #:

METRC Batch: 1A40801000010CD000029727; METRC Sample: 1A40801000010CD000029731

Analysis Initiated: 07/29/2026; Report Created: 08/07/2026

Sampling SOP: SOP-0050

Cheese Crème - Live Rosin Bar (.5g) - 9727

Concentrates & Extracts, Live Rosin, Ice/Water
Harvest/Production Date: 07/28/2026



Residual Solvents

Analytical Calibration Batch:

Not Tested

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
---------	-----	--------------	------	--------	---------	-----	--------------	------	--------

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0060; A mass spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins

Pass

Analytical Calibration Batch: 08/03/2026

Analyte	LOQ	State Limit	Mass	Status
	PPB	PPB	PPB	
Ochratoxin A	12	20	ND	Pass
Total Aflatoxins	20	20	ND	Pass

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPB = Parts per Billion. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Mold	10000	NR	NT
Aspergillus flavus	Not Detected in 1.0g	ND	Pass
Aspergillus fumigatus	Not Detected in 1.0g	ND	Pass
Aspergillus niger	Not Detected in 1.0g	ND	Pass
Aspergillus terreus	Not Detected in 1.0g	ND	Pass
Salmonella	Not Detected in 1.0g	ND	Pass
STEC	Not Detected in 1.0g	ND	Pass

NT = Not Tested; NR = Not Reported; ND = None Detected. TNTC = Too Numerous to Count; SOP-0058: STEC and Salmonella analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
<http://www.fidimt.com>
License # L-100170-003



Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Andre Umansky
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001



FIDELITY
DIAGNOSTICS

Certificate of Analysis

Powered by Confident LIMS
4 of 4

Hash Mountain Labs

420 American Way
Kalispell, MT 59901
david@bmmgmontan.com

Lic. #M-100133-002

Sample: 2607FID5033.22899

Strain: Cheese Crème
Batch #: a; Lot #:

METRC Batch: 1A40801000010CD000029727; METRC Sample: 1A40801000010CD000029731

Analysis Initiated: 07/29/2026; Report Created: 08/07/2026

Sampling SOP: SOP-0050

Cheese Crème - Live Rosin Bar (.5g) - 9727

Concentrates & Extracts, Live Rosin, Ice/Water
Harvest/Production Date: 07/28/2026



Pesticides

Analytical Calibration Batch: 08/03/2026

Pass

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status	Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
Abamectin	0.16	0.5	0.5	ND	Pass	Imazalil	0.16	0.2	0.2	ND	Pass
Acephate	0.16	0.4	0.4	ND	Pass	Imidacloprid	0.16	0.4	2	ND	Pass
Acequinocyl	0.16	2	2	ND	Pass	Kresoxim Methyl	0.16	0.4	0.4	ND	Pass
Acetamiprid	0.16	0.2	0.2	ND	Pass	Malathion	0.16	0.2	0.2	ND	Pass
Aldicarb	0.31	0.4	0.4	ND	Pass	Metalaxyl	0.16	0.2	0.2	ND	Pass
Azoxystrobin	0.16	0.2	0.2	ND	Pass	Methiocarb	0.16	0.2	0.2	ND	Pass
Bifenazate	0.16	0.2	0.2	ND	Pass	Methomyl	0.16	0.4	0.4	ND	Pass
Bifenthrin	0.16	0.2	0.2	ND	Pass	Methyl Parathion	0.16	0.2	0.2	ND	Pass
Boscalid	0.16	0.4	0.4	ND	Pass	MGK-264	0.16	0.2	0.2	ND	Pass
Carbaryl	0.16	0.2	0.2	ND	Pass	Myclobutanil	0.16	0.2	0.2	ND	Pass
Carbofuran	0.16	0.2	0.2	ND	Pass	Naled	0.16	0.5	0.5	ND	Pass
Chlorantraniliprole	0.16	0.2	0.2	ND	Pass	Oxamyl	0.16	1	1	ND	Pass
Chlorfenapyr	0.31	1	1	<LOQ	Pass	Paclobutrazol	0.16	0.4	0.4	ND	Pass
Chlorpyrifos	0.16	0.2	0.2	ND	Pass	Permethrin	0.16	0.2	0.2	ND	Pass
Clofentezine	0.16	0.2	0.2	ND	Pass	Phosmet	0.16	0.2	0.2	ND	Pass
Cyfluthrin	0.31	1	1	ND	Pass	Piperonyl Butoxide	0.16	2	2	ND	Pass
Cypermethrin	0.16	1	1	ND	Pass	Prallethrin	0.16	0.2	0.2	ND	Pass
Daminozide	0.16	1	1	ND	Pass	Propiconazole	0.16	0.4	0.4	ND	Pass
Diazinon	0.16	0.2	0.2	ND	Pass	Propoxur	0.16	0.2	0.2	ND	Pass
Dichlorvos	0.16	1	1	ND	Pass	Pyrethrins	0.16	1	1	ND	Pass
Dimethoate	0.16	0.2	0.2	ND	Pass	Pyridaben	0.16	0.2	0.2	ND	Pass
Ethoprophos	0.16	0.2	0.2	ND	Pass	Spinosad	0.16	0.2	0.2	ND	Pass
Etofenprox	0.16	0.4	0.4	ND	Pass	Spiromesifen	0.16	0.2	0.2	ND	Pass
Etoazole	0.16	0.2	0.2	ND	Pass	Spirotetramat	0.16	0.2	0.2	ND	Pass
Fenoxycarb	0.16	0.2	0.2	ND	Pass	Spiroxamine	0.16	0.4	0.4	ND	Pass
Fenpyroximate	0.16	0.4	0.4	ND	Pass	Tebuconazole	0.16	0.4	0.4	ND	Pass
Fipronil	0.16	0.4	0.4	ND	Pass	Thiacloprid	0.16	0.2	0.2	ND	Pass
Flonicamid	0.16	1	1	ND	Pass	Thiamethoxam	0.16	0.2	0.2	ND	Pass
Fludioxonil	0.16	0.4	0.4	ND	Pass	Trifloxystrobin	0.16	0.2	0.2	ND	Pass
Hexythiazox	0.16	1	1	ND	Pass						

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0042; Pesticide & Mycotoxin screening is performed using ESI/APCI MS. Relative Expanded Uncertainty Average for the above compounds u=+-15.2%. For specific compound u values, contact the laboratory.



Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
http://www.fidimt.com
License # L-100170-003



Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Andre Umansky
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001