Hash Mountain Labs

420 American Way
Kalispell, MT 59901
david@bmmgmontan.com

Lic. #M-100133-002

Sample: 2608FID5219.23766

Strain: Mango Zest
Batch #: c; Lot #:
METRC Batch: 1A40801000010CD000029744; METRC Sample: 1A40801000010CD000029747
Analysis Initiated: 08/06/2026; Report Created: 08/12/2026
Sampling SOP: SOP-0050

Mango Zest - Live Rosin Bar (.5g) - 9744

Concentrates & Extracts, Live Rosin, Ice/Water
Harvest/Production Date: 08/04/2026




72.39% Total Potential Psychoactive THC	**0.20%** Total CBD	**Pass** Foreign Matter	
72.39% Total Raw THC	**77.29%** Total Cannabinoids	**Complete** NR Moisture	

Cannabinoids

Pass

Analytical Calibration Batch:

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.09	ND	ND
Δ9-THC	0.09	72.39	723.9
Δ8-THC	0.09	ND	ND
THCVa	0.09	ND	ND
THCV	0.09	0.54	5.4
CBDa	0.09	ND	ND
CBD	0.09	0.20	2.0
CBN	0.09	0.31	3.1
CBGa	0.09	0.27	2.7
CBG	0.09	2.36	23.6
CBC	0.09	1.23	12.3
Total		**77.29**	**772.9**



Total Potential Psychoactive THC = THCa * 0.877 + d9-THC | Total CBD = CBDa * 0.877 + CBD
LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected.
SOP-0041: Full spectrum cannabinoid analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV). Reported result is based on sample dry weight. SOP-0035: Foreign matter inspection includes but is not limited to hair, insects, stems, seeds, and feces. SOP-0036: Moisture analysis. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001

Hash Mountain Labs

420 American Way
Kalispell, MT 59901
david@bmmgmontan.com

Lic. #M-100133-002

Sample: 2608FID5219.23766

Strain: Mango Zest
Batch #: c; Lot #:
METRC Batch: 1A40801000010CD000029744; METRC Sample: 1A40801000010CD000029747
Analysis Initiated: 08/06/2026; Report Created: 08/12/2026
Sampling SOP: SOP-0050


Mango Zest - Live Rosin Bar (.5g) - 9744

Concentrates & Extracts, Live Rosin, Ice/Water
Harvest/Production Date: 08/04/2026

Terpenes

Analytical Calibration Batch: Terpenes 07142026

Analyte	LOQ	Result	Result
	%	%	mg/g
Limonene	0.008	1.509	15.09
β-Myrcene	0.008	1.363	13.63
β-Caryophyllene	0.008	1.198	11.98
α-Humulene	0.008	0.425	4.25
α-Bisabolol	0.008	0.356	3.56
Linalool	0.008	0.305	3.05
Nerolidol		0.300	3.00
α-Pinene	0.008	0.281	2.81
β-Pinene	0.008	0.215	2.15
Ocimene	0.008	0.192	1.92
Guaiol	0.008	0.186	1.86
Geranyl Acetate	0.003	0.177	1.77
α-Terpineol	0.005	0.145	1.45
Fenchol	0.003	0.143	1.43
Caryophyllene Oxide	0.008	0.078	0.78
Camphene	0.008	0.074	0.74
Eucalyptol	0.008	0.057	0.57
Borneol	0.003	0.048	0.48
Geraniol	0.008	0.048	0.48
Terpinolene	0.008	0.046	0.46
α-Terpinene	0.008	0.042	0.42
δ-3-Carene	0.008	0.040	0.40
α-Phellandrene	0.003	0.026	0.26
γ-Terpinene	0.008	ND	ND
Isopulegol	0.008	ND	ND
p-Cymene	0.008	ND	ND
Total		**7.253**	**72.53**



Primary Aromas

Orange | Hops | Cinnamon | Chamomile | Lavender

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. Results based on dry weight. SOP-0037; GC-FID Analysis of Terpenes in Cannabis and Cannabis Products. Testing listed above may not be included in our current PJLA scope of accreditation. Please consult PJLA Certificate# 102722 for a list of current accredited tests.

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001

Hash Mountain Labs

420 American Way
Kalispell, MT 59901
david@bmmgmontan.com

Lic. #M-100133-002

Sample: 2608FID5219.23766

Strain: Mango Zest
Batch #: c; Lot #:
METRC Batch: 1A40801000010CD000029744; METRC Sample: 1A40801000010CD000029747
Analysis Initiated: 08/06/2026; Report Created: 08/12/2026
Sampling SOP: SOP-0050

Mango Zest - Live Rosin Bar (.5g) - 9744

Concentrates & Extracts, Live Rosin, Ice/Water
Harvest/Production Date: 08/04/2026

Residual Solvents — Not Tested

Analytical Calibration Batch:

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0060; A mass spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

Mycotoxins — Pass

Analytical Calibration Batch: 08/03/2026

Analyte	LOQ	State Limit	Mass	Status
	PPB	PPB	PPB	
Ochratoxin A	12	20	ND	Pass
Total Aflatoxins	20	20	ND	Pass

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPB = Parts per Billion. SOP-0042; Pesticide & Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

Microbials — Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Mold	10000	NR	NT
Aspergillus flavus	Not Detected in 1.0g	ND	Pass
Aspergillus fumigatus	Not Detected in 1.0g	ND	Pass
Aspergillus niger	Not Detected in 1.0g	ND	Pass
Aspergillus terreus	Not Detected in 1.0g	ND	Pass
Salmonella	Not Detected in 1.0g	ND	Pass
STEC	Not Detected in 1.0g	ND	Pass

NT = Not Tested; NR = Not Reported; ND = None Detected. TNTC = Too Numerous to Count; SOP-0058: STEC and Salmonela analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0063: Aspergillus species specific analysis on AriaDX qPCR using Medicinal Genomics validated methods. SOP-0061: Mold enumeration using Hardy Diagnostics media.

Fidelity Diagnostics Laboratory
216 Trade St.
Missoula, MT 59808
(406) 926-2211
http://www.fidimt.com
License # L-100170-003

Accredited to ISO/IEC 17025:2017
Accreditation #: 102722

Andre Umansky
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001

Hash Mountain Labs

420 American Way
Kalispell, MT 59901
david@bmmgmontan.com

Lic. #M-100133-002

Sample: 2608FID5219.23766

Strain: Mango Zest
Batch #: c; Lot #:
METRC Batch: 1A40801000010CD000029744; METRC Sample: 1A40801000010CD000029747
Analysis Initiated: 08/06/2026; Report Created: 08/12/2026
Sampling SOP: SOP-0050

Mango Zest - Live Rosin Bar (.5g) - 9744

Concentrates & Extracts, Live Rosin, Ice/Water
Harvest/Production Date: 08/04/2026

Pesticides

Pass

Analytical Calibration Batch: 08/03/2026

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.16	0.5	0.5	ND	Pass
Acephate	0.16	0.4	0.4	ND	Pass
Acequinocyl	0.16	2	2	ND	Pass
Acetamiprid	0.16	0.2	0.2	ND	Pass
Aldicarb	0.31	0.4	0.4	ND	Pass
Azoxystrobin	0.16	0.2	0.2	ND	Pass
Bifenazate	0.16	0.2	0.2	ND	Pass
Bifenthrin	0.16	0.2	0.2	ND	Pass
Boscalid	0.16	0.4	0.4	ND	Pass
Carbaryl	0.16	0.2	0.2	ND	Pass
Carbofuran	0.16	0.2	0.2	ND	Pass
Chlorantraniliprole	0.16	0.2	0.2	ND	Pass
Chlorfenapyr	0.31	1	1	ND	Pass
Chlorpyrifos	0.16	0.2	0.2	ND	Pass
Clofentezine	0.16	0.2	0.2	ND	Pass
Cyfluthrin	0.31	1	1	ND	Pass
Cypermethrin	0.16	1	1	ND	Pass
Daminozide	0.16	1	1	ND	Pass
Diazinon	0.16	0.2	0.2	ND	Pass
Dichlorvos	0.16	1	1	ND	Pass
Dimethoate	0.16	0.2	0.2	ND	Pass
Ethoprophos	0.16	0.2	0.2	ND	Pass
Etofenprox	0.16	0.4	0.4	ND	Pass
Etoxazole	0.16	0.2	0.2	ND	Pass
Fenoxycarb	0.16	0.2	0.2	ND	Pass
Fenpyroximate	0.16	0.4	0.4	ND	Pass
Fipronil	0.16	0.4	0.4	ND	Pass
Flonicamid	0.16	1	1	ND	Pass
Fludioxonil	0.16	0.4	0.4	ND	Pass
Hexythiazox	0.16	1	1	ND	Pass
Imazalil	0.16	0.2	0.2	ND	Pass
Imidacloprid	0.16	0.4	2	ND	Pass
Kresoxim Methyl	0.16	0.4	0.4	ND	Pass
Malathion	0.16	0.2	0.2	ND	Pass
Metalaxyl	0.16	0.2	0.2	ND	Pass
Methiocarb	0.16	0.2	0.2	ND	Pass
Methomyl	0.16	0.4	0.4	ND	Pass
Methyl Parathion	0.16	0.2	0.2	ND	Pass
MGK-264	0.16	0.2	0.2	ND	Pass
Myclobutanil	0.16	0.2	0.2	ND	Pass
Naled	0.16	0.5	0.5	ND	Pass
Oxamyl	0.16	1	1	ND	Pass
Paclobutrazol	0.16	0.4	0.4	ND	Pass
Permethrin	0.16	0.2	0.2	ND	Pass
Phosmet	0.16	0.2	0.2	ND	Pass
Piperonyl Butoxide	0.16	2	2	ND	Pass
Prallethrin	0.16	0.2	0.2	ND	Pass
Propiconazole	0.16	0.4	0.4	ND	Pass
Propoxur	0.16	0.2	0.2	ND	Pass
Pyrethrins	0.16	1	1	ND	Pass
Pyridaben	0.16	0.2	0.2	ND	Pass
Spinosad	0.16	0.2	0.2	ND	Pass
Spiromesifen	0.16	0.2	0.2	ND	Pass
Spirotetramat	0.16	0.2	0.2	ND	Pass
Spiroxamine	0.16	0.4	0.4	ND	Pass
Tebuconazole	0.16	0.4	0.4	ND	Pass
Thiacloprid	0.16	0.2	0.2	ND	Pass
Thiamethoxam	0.16	0.2	0.2	ND	Pass
Trifloxystrobin	0.16	0.2	0.2	ND	Pass

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected. PPM = Parts per Million. SOP-0042; Pesticide & Mycotoxin screening is performed using ESI/APCI MS. Relative Expanded Uncertainty Average for the above compounds u=+-15.2%. For specific compound u values, contact the laboratory.

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Testing performed onsite at Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Results valid only for item tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Certificate shall not be reproduced, without written approval by the laboratory. Quality and uncertainty data available upon request. Sample conformity is set by the state of Montana. Version No. 001